

http://www.candlesandsupplies.net

2580 Milford Square Pike P Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42723.455663.607038

Product: Mulberry

Product#: **225442** Page 1 of 8 SKU#: **SC-MB** 2017-08-23

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Mulberry
Product/Sales No: 225442

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Candles and Supplies.com

2580 Milford Square Pike Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net

1.4 Emergency telephone number

(800) 819-6118 Domestic USA, Canada, Puerto Rico, and US Virgin Islands+1

215-538-8552 International

2 Hazards Identification

21 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 3 H226: Flammable liquid and vapour Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Target Organ Systemic Toxicity - Single

Exposure, Category 3-NE

H336: May cause drowsiness or dizziness

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class II Flammable Liquid

Acute Dermal/Eye 10 : May be harmful if absorbed through the skin.

12 : Causes moderate skin irritation.

15: May cause eye irritation.

Acute Inhalation 23 : May cause respiratory tract irritation.

25: Inhalation at high levels may cause: difficulty in breathing.

Acute Oral 2 : Harmful if swallowed

Genotoxicity 36 : Suspected of causing genetic defects

Reproductive/Developmental 39: Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.



Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42723.455663.607038

Product: Mulberry

Product#: 225442 Page 2 of 8 SKU#: SC-MB 2017-08-23

Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, thymus

gland, testes, brain.

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

22 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal Word: Danger

Hazard statments

H226	Flammable liquid and vapour
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H336	May cause drowsiness or dizziness
H410	Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P264	Wash hands thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Res

esponse:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention



Quakertown, PA 18951 USA

215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net

Product: Mulberry SDS Type: GHS / OSHA

DOC ID: 42723.455663.607038

Product#: 225442

Page 3 of 8 SC-MB SKU#: 2017-08-23

P337 + P313 If eye irritation persists: Get medical advice/attention P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing P352 Wash with soap and water P362 Take off contaminated clothing and wash before reuse P363 Wash contaminated clothing before reuse P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material P391 Collect Spillage

Safety Data Sheet

23 Other Hazards

no data available

3 Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification				
68647-72-3	232-433-8	20 - 30 %	H226; H304; H315; H317; H400; H410	12, 3, 31				
Limonene	•							
64742-47-8	265-149-8	20 - 30 %	H227; H304; H336; H401; H411	3				
Distillates	Distillates, petroleum, hydrotreated light							
8008-57-9	232-433-8	10 - 20 %	H226; H304; H315; H400; H410	12, 3, 31				
Citrus au	Citrus aurantium dulcis (Orange) oil							
100-52-7	202-860-4	5 - 10 %	H227; H302; H316; H319; H332; H335;	10, 11, 15, 23, 25, 26, 3, 31, 36,				
Benzaldehyde H			H401	39				
105-54-4	203-306-4	5 - 10 %	H226; H401	11				
Ethyl butyrate								
104-67-6	203-225-4	5 - 10 %	H316; H401; H402; H412	11				
gamma-U	gamma-Undecalactone							
706-14-9	211-892-8	5 - 10 %	H316					
gamma-D	ecalactone							
2705-87-5	220-292-5	5 - 10 %	H302; H312; H317; H332; H400; H410	10, 12, 15, 3				
Allyl cyclo	hexylpropionate							
77-83-8	201-061-8	2 - 5 %	H317; H401; H411	11, 15				
Ethyl methylphenylglycidate								
121-32-4	204-464-7	1 - 2 %	H303; H320; H402					
Ethyl vanillin								
104-21-2	203-185-8	1 - 2 %	H316; H402	12, 15				
p-Anisyl a	cetate							
6413-10-1	229-114-0	1 - 2 %	H227; H316	11				
Ethyl 2-methyl-1,3-dioxolane-2-acetate (Fructone)								
4940-11-8	225-582-5	1 - 2 %	H302	2				
Ethyl mal	tol							



2580 Milford Square Pike Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42723.455663.607038

Product: Mulberry

Product#: **225442** Page 4 of 8 SKU#: **SC-MB** 2017-08-23

AS# EC# Conc.

Ingredient Range GHS Classification OSHA Classification

78-70-6 201-134-4 0.1 - 1.0 % H227; H303; H315; H317; H319; H402 12, 26

Linalool

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 57.65

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Wost important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections



2580 Milford Square Pike Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175

http://www.candlesandsupplies.net

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42723.455663.607038

Product: Mulberry

Product#: **225442** Page 5 of 8 SKU#: **SC-MB** 2017-08-23

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8 Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Yellow (G6-8)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Not determined

Not determined

123 F (50.56 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@ 20 C):
 1.3867

 %VOC:
 53.65

 Specific Gravity @ 25 C:
 0.8820

 Density @ 25 C:
 0.8790

 Refractive Index @ 20 C:
 1.4630



2580 Milford Square Pike Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42723.455663.607038

Product: Mulberry
Product#: 225442

SKU#: SC-MB

Page 6 of 8 2017-08-23

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

1Q5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,801.12) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2,808.99) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 20.62) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicityNot classified - the classification criteria are not metCarcinogenicityNot classified - the classification criteria are not metReproductive toxicityNot classified - the classification criteria are not met

Specific target organ toxicity - single exposure May cause drowsiness or dizziness

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12 Ecological Information

121 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Very toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available



2580 Milford Square Pike Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42723.455663.607038

Product: **Mulberry** Product#: **225442**

SKU#: SC-MB

Page 7 of 8 2017-08-23

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.		
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods			
Chemicals NOI							
ADR/RID (International Road/Rail)							
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082		
IATA (Air Cargo)							
Perfumery Products		3	III	Flammable Liquid	UN1266		
Environmentally Hazardous Liquid, n.o.s. IIVDG (Sea)	Substance,	9	III		UN3082		
Perfumery Products		3	Ш	Flammable Liquid	UN1266		
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	aasis Elquid	UN3082		

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (NFS)

Canadian Regulations:

DSL /NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk (TFV) Risk

(5.81) Aspiration Hazard, Category 1 (3.73) Skin Corrosion/Irritation, Category 2

(3.50) Sensitization, Skin, Category 1B (1.19) Eye Damage/Eye Irritation, Category 2A



2580 Milford Square Pike Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175

Department issuing data sheet

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42723.455663.607038

Product: Mulberry

Product#: **225442** Page 8 of 8 SKU#: **SC-MB** 2017-08-23

http://www.candlesandsupplies.net (1.06) Target Organ Systemic Toxicity - Single Exposure, (1.68) Aquatic Chronic Toxicity, Category 1

(1.06) Target Organ Systemic Toxicity - Single Exposure, Category 3-NE

Regulatory Affairs Group

Department E-mail address: info@candlesandsupplies.com

Remarks

This safety data sheet is based on the properties of the material known to Candles and Supplies at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Candles and Supplies holds no responsibility. This document is not intended for quality assurance purposes.