

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42630.501236.633174

Product: Chanel No. 5

Product#: **225443** Page 1 of 8 SKU#: **SC-CH5** 2017-08-23

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Chanel No. 5
Product/Sales No: 225443

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Vanufacturer: Candles and Supplies.com

2580 Milford Square Pike Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net

1.4 Emergency telephone number

(800) 819-6118 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 215-538-8552 International

2 Hazards Identification

21 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Carcinogenicity, Category 2 H351: Suspected of causing cancer

Reproductive Toxicology, Category 2 H361: Suspected of damaging fertility or the unborn child

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate skin irritation.

16 : Causes eye irritation.

19 : May cause photo-induced skin irritation.9 : Harmful if absorbed through the skin.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia.

Acute Oral 2: Harmful if swallowed

Reproductive/Developmental 39: Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, spleen, blood, bone marrow, stomach, brain, thyroid, bile duct,

tongue, mucous membranes, musculo-skeletal system, male reproductive system.



Carcinogenicity

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42630.501236.633174

Product: Chanel No. 5

Product#: **225443** Page 2 of 8 SKU#: **SC-CH5** 2017-08-23

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver,

bone marrow, skin, testes

This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

22 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Warning

Hazard statments

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Collect Spillage

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

_	poisc.	
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P308 + P313	IF exposed or concerned: Get medical advice/attention
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P313	Get medical advice/attention
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse

P391 **23 Other Hazards**

no data available



Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42630.501236.633174

Product: Chanel No. 5

 Product#:
 225443
 Page 3 of 8

 SKU#:
 SC-CH5
 2017-08-23

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411	28, 3
Benzyl Be	enzoate			
127-51-5	204-846-3	10 - 20 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31
a-Isometh	nyl ionone			
60-12-8	200-456-2	5 - 10 %	H302; H313; H316; H319	11, 15, 3
phenethy	l alcohol			
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
80-54-6	201-289-8	5 - 10 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
	nyl Methylpropior		H411	
115-95-7	204-116-4	2 - 5 %	H227; H315; H319; H402	
Linalyl ac		0 50/	11000 11040 11404 11440	45 05 00 04 00
140-11-4	205-399-7	2 - 5 %	H303; H316; H401; H412	15, 25, 26, 31, 39
Benzyl ad		0 50/	11000, 11047, 11400	40 45 0 00 04 0
91-64-5 Coumarin	202-086-7	2 - 5 %	H302; H317; H402	12, 15, 2, 26, 31, 9
81-14-1	201-328-9	2 - 5 %	H316; H351; H400; H410	11, 15
Musk ket		2 - 3 /0	11310, 11331, 11400, 11410	11, 10
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412	31
Benzyl Sa		2 0 70	1,000, 1,011, 1,020, 11101, 11112	0.
68647-72-3	232-433-8	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Limonene			, , , , ,	, ,
8007-35-0	232-357-5	1 - 2 %	H316; H401; H411	11
Terpineol	acetate			
121-33-5	204-465-2	1 - 2 %	H303; H319	31
Vanillin				
77-54-3	201-036-1	1 - 2 %	H316; H401; H411	12, 15
Cedryl ac	etate			
66068-84-6	266-100-3	1 - 2 %	H315; H401; H411	11, 15
•	enyl cyclohexan	•		
105-95-3	203-347-8	1 - 2 %	H401	11, 15
•	brassylate			
120-57-0	204-409-7	1 - 2 %	H303; H317; H401	31
Piperonal		4 00'	11000 11047	44 45 04
104-54-1	203-212-3	1 - 2 %	H303; H317	11, 15, 31
Cinnamyl	AICONOI			



Safety Data Sheet

Chanel No. 5

SDS Type: GHS / OSHA

DOC ID: 42630.501236.633174

Product: 2580 Milford Square Pike Product#: 225443 Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175

SKU#: SC-CH5 Page 4 of 8 2017-08-23

http://www.candl CAS# Ingredient	lesandsupplies.net EC#	Conc. Range	GHS Classification	OSHA Classification
128-37-0	204-881-4	1 - 2 %	H316; H400; H410	
Butylated	d hydroxytoluene		,	
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	11, 15
Citronello				
101-86-0	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411	11, 15
Hexyl cin	namaldehyde			
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402	11, 15, 31
Geraniol				
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H401	12, 15, 3, 31, 9
Iso Euge	nol			
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H318; H401	15
Nerol				
112-45-8	203-973-1	0.1 - 1.0 %	H315; H317; H319; H401; H412	11, 15
Undecylenal				
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410	
2-Methylundecanal				
Son Soction	16 for full toxt of	CHS classification	on codes	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 1.87

4 First Aid Weasures

Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Rinse mouth with water and obtain medical advice. Ingestion:

4.2 Nost important symptoms and effects, both acute and delayed

Symptoms: no data available

Refer to Section 2.2 "Hazard Statements" Risks:

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Refer to Section 2.2 "Response"

5. Fire-Fighting measures

Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters



Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42630.501236.633174

Product: Chanel No. 5

Product#: 225443 Page 5 of 8 SC-CH5 2017-08-23 SKU#:

Further information:

Standard procedure for chemical fires

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8 Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

128-37-0

Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
140-11-4	Benzyl acetate	10

Butylated hydroxytoluene **Engineering Controls:** Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

2

as may be appropriate for the exposure

Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Respiratory protection:

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.



Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42630.501236.633174

Product: Chanel No. 5

Product#: **225443** Page 6 of 8 SKU#: **SC-CH5** 2017-08-23

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Color: Colorless to Pale Yellow

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@ 20C):
 0.0363

 %VOC:
 5.8873

 Specific Gravity @ 25 C:
 0.9945

 Density @ 25 C:
 0.9915

 Refractive Index @ 20 C:
 1.5045

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materialsStrong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,524.75) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2,592.09) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 51.18) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction



Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42630.501236.633174

Product: Chanel No. 5

Product#: **225443** Page 7 of 8 SKU#: **SC-CH5** 2017-08-23

Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Suspected of causing cancer

Reproductive toxicity

Suspected of damaging fertility or the unborn child

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12 Ecological Information

121 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mbbility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	l - Not Dangerou	s Goods	
Chemicals NOI					
ADR/RID (International Road	/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082



Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42630.501236.633174

2580 Milford Square Pike Product

Quakertown, PA 18951 USA 215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net Product: Chanel No. 5

Product#: **225443** Page 8 of 8 SKU#: **SC-CH5** 2017-08-23

Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

4OCFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

beta-Myrcene (NFS)

Canadian Regulations:

DSL /NDSL 100.00% of the components are listed or exempt.

Other Information

GHS H-Statements referred to under section 3

123-35-3(NF 204-622-5 0.01 - 0.1%

Total Fractional Values

(TFV) Risk (TFV) Risk

(3.14) Skin Corrosion/Irritation, Category 2 (3.00) Sensitization, Skin, Category 1A (3.81) Eye Damage/Eye Irritation, Category 2A (2.60) Carcinogenicity, Category 2

(1.67) Reproductive Toxicology, Category 2 (3.93) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet Regulatory Affairs Group

Department E-mail address: info@candlesandsupplies.com

Remarks

This safety data sheet is based on the properties of the material known to Candles and Supplies at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Candles and Supplies holds no responsibility. This document is not intended for quality assurance purposes.