



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: VERMONT MAPLE SYRUP A37233

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: VERMONT MAPLE SYRUP A37233

Other identifiers: None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Fragrance

1.3 Details of the supplier of the safety data sheet

Company name: Candles and Supplies.com

Company address: 2580 Milford Square Pike
Quakertown, PA 18951

Contact: Regulatory Affairs
E-Mail address: info@candlesandsupplies.com

Company phone: 800-819-6118

1.4 Emergency telephone number

Emergency phone: 215-538-8552

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger: Acute Toxicity - Oral Category 5
Eye Damage / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H303, May be harmful if swallowed.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H400, Very toxic to aquatic life.
H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H303, May be harmful if swallowed.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: VERMONT MAPLE SYRUP A37233

Version: 1

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312, Call a POISON CENTRE or doctor/physician if you feel unwell.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	%	GHS Classification
Benzyl benzoate	120-51-4	204-402-9	20-<50%	ATO 4-ATD 5-EH A1-EH C2;H302-H313-H400-H411
Ethyl vanillin	121-32-4	204-464-7	1-<5%	ATO 5-EDI 2B-EH A3;H303-H320-H402
Benzyl alcohol	100-51-6	202-859-9	1-<5%	ATO 4-ATD 5-ATI 4-EDI 2A;H302-H313-H319-H332
Piperonal	120-57-0	204-409-7	1-<5%	ATO 5-SS 1B-EH A2;H303-H317-H401
Vanillin	121-33-5	204-465-2	1-<5%	ATO 5-EDI 2A-EH A3;H303-H319-H402
3-Methylcyclopentane-1,2-dione	765-70-8	212-154-8	1-<5%	ATO 5;H303
Coumarin	91-64-5	202-086-7	1-<5%	ATO 4-SS 1B-EH A3;H302-H317-H402
Butylated hydroxytoluene	128-37-0	204-881-4	0.1-<1%	EH A1-EH C1;H410



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: VERMONT MAPLE SYRUP A37233

Version: 1

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Butylated hydroxytoluene	128-37-0	204-881-4	0.24%

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTRE or doctor/physician if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: VERMONT MAPLE SYRUP A37233

Version: 1

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m ³	Reference
Butylated hydroxytoluene	128-37-0	204-881-4	Long-term exposure limit (8-hour TWA reference period)	-	-	-
			Short-term exposure limit (15-minute reference period)	-	-	-

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: VERMONT MAPLE SYRUP A37233

Version: 1

openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 93 °C
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: VERMONT MAPLE SYRUP A37233**Version:** 1

May be harmful if swallowed.

May cause an allergic skin reaction.

Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: 2634**Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity:** >5000**Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity:** Not Available**Inhalation Route:** Not Available**Information about hazardous ingredients in the mixture**

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzyl alcohol	100-51-6	202-859-9	1620	2500	11	Vapour
Benzyl benzoate	120-51-4	204-402-9	1500	4000	Not available	Not available
Coumarin	91-64-5	202-086-7	500	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available**12.3 Bioaccumulative potential:** Not available**12.4 Mobility in soil:** Not available**12.5 Results of PBT and vPvB assessment:**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: UN3082



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: VERMONT MAPLE SYRUP A37233**Version:** 1**14.2 UN Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Benzyl benzoate, Butylated hydroxytoluene)**14.3 Transport hazard class(es):** 9**Sub Risk:** -**14.4. Packing Group:** III**14.5 Environmental hazards:** This is an environmentally hazardous substance.**14.6 Special precautions for user:** None additional**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH A1=62.40% EH A2=6.20% EH A3=0.61821139% EH C2=59.19% EH C3=5.92% EH C4=62.40% EDI 2A=90.08% SS 1=36.03%**Total Fractional Values:** EH A1=1.60 EH A2=16.14 EH A3=161.76 EH C2=1.69 EH C3=16.89 EH C4=1.60 EDI 2A=1.11 SS 1=2.78**Key to revisions:**

Not applicable

Key to abbreviations:

Abbreviation	Meaning
ATD 5	Acute Toxicity - Dermal Category 5
ATI 4	Acute Toxicity - Inhalation Category 4
ATO 4	Acute Toxicity - Oral Category 4
ATO 5	Acute Toxicity - Oral Category 5
EDI 2A	Eye Damage / Irritation Category 2A
EDI 2B	Eye Damage / Irritation Category 2B
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH A2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
EH A3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: VERMONT MAPLE SYRUP A37233**Version:** 1

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.