



HP Designjet Z5400 PostScript® ePrinter

The first multi-roll ePrinter for graphics to produce high-quality, long-lasting prints efficiently



Fast delivery with two rolls and a smart workflow

- Be ready—meet urgent requests using the first ePrinter for graphics with multi-roll and smart media switching.
- Increase uptime with fewer roll changes and useful notifications for ink levels, firmware updates, and more.
- Preview, crop, and print PDF, PostScript®, HP-GL/2, TIFF, and JPEG files fast, using HP Instant Printing PRO.
- Shorten your turnaround times with a 320 GB hard drive, borderless printing¹, and fast-drying HP Photo Inks.

Quality and durability to impress your customers

- Create in-house posters, photos, canvases, backlit prints, indoor signs, POS posters, line drawings, and maps.
- Impress customers with top quality black-and-white images, using three shades of black HP Photo Inks.
- Achieve smooth color tones thanks to HP Multi-Dimensional Smart Drop Placement Technology.
- Expand your offerings with water-resistant prints that last up to 200 years, using HP Photo Inks².

Easy, efficient operation backed by HP reliability

- Simplify your operation with USB flash drive and e-mail printing, a color touchscreen, and print preview.
- Ensure color reliability with HP Professional PANTONE® color emulation and embedded Adobe® PostScript®/PDF³.
- Automatic drop detection and intelligent masking helps ensure image quality and reduces cleaning and waste.
- Use ink more efficiently thanks to an optimized ink configuration⁴.

Eco Highlights

- Reduce waste—load two media widths; use best size for the job
- Help reduce unnecessary reprints with true previews before printing and with reliable colors
- Free, convenient HP ink cartridge and printhead recycling¹
- Works with FSC®- and PEFC™-certified HP papers; recyclable HP media with take-back program²

¹ Program availability varies. Please check hp.com/recycle for details.

² FSC® trademark license code FSC®-C017543, see fsc.org. PEFC™ trademark license code PEFC™/29-31-198, see pefc.org. Not all FSC®- and PEFC™-certified products are available in all regions. HP Large Format Media take-back program availability varies. Please check hp.com/recycle for details.

Please recycle large-format printing hardware and printing supplies.
Find out how at our website hp.com/ecosolutions

¹ Photo paper is required to print borderless images.

² With Original HP 772 or HP 70 Photo Inks. Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab on a range of HP media. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For details, see hp.com/go/supplies/printpermanence.

³ Pending PANTONE-licensed.

⁴ Compared with the HP Designjet Z5200 Photo Printer.



1. With Aurasma installed, please go to the HP Designjet channel at <http://auras.ma/s/ke25m>
2. Without Aurasma installed, please download it:
 - a. Google Play - <http://auras.ma/s/android>
 - b. Apple Store - <http://auras.ma/s/ios>Once done, go to the HP Designjet channel at <http://auras.ma/s/ke25m>
3. Open the application and point to the image to view the HP Designjet video

Technical specifications

Print	Print resolution	Up to 2400 x 1200 optimized dpi
	Margins	Roll: 5 x 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 x 0.2 in) (borderless on photo roll media); Sheet: 5 x 17 x 5 x 5 mm (0.2 x 0.67 x 0.2 x 0.2 in)
	Ink types	Pigment-based
	Line accuracy	+/- 0.1% ⁵
	Minimum line width	0.04 mm (0.0015 in) (HP-GL/2 addressable)
	Guaranteed minimum line width	0.08 mm (0.0031 in) (ISO/IEC 13660:2001(E)) ⁶
	Image quality	Short term color stability
	Long term print-to-print repeatability	Average < 0.5 dE2000, 95% of colors < 1.4 dE2000 ⁷
	Maximum optical density	4 L* min/2.5 D ⁸
Media	Handling	Two automatic roll feeds; smart roll-switching; sheet feed; media output bin; automatic cutter ⁹
	Size	210 x 279 to 1118 x 1676-mm (8.3 x 11 to 44 x 66-in) sheets; 279 to 1118-mm (11 to 44-in) rolls
	Thickness	Up to 0.5 mm (19.7 mil)
Applications	Line drawings, Renderings, Maps, Orthophotos, Graphics design, Office Graphics, Posters, Photos, Digital fine art, Banners, Exhibition, event graphics, Light boxes - film, Point of sale/display	
Memory	64 GB (virtual) ¹⁰ , 320 GB hard disk	
Connectivity	Interfaces (standard)	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0 certified, EIO Jetdirect accessory slot
	Print languages (standard)	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG, CALS G4, HP PCL 3 GUI, HP-GL/2 and HP-RTL ¹¹
	Printing paths	Printer driver, HP Embedded Web Server, HP Instant Printing PRO, USB, email printing
	Drivers (included)	PostScript Windows and Mac drivers
Dimensions (w x d x h)	Printer	1770 x 721 x 1050 mm (69.7 x 28.4 x 41.3 in)
	Shipping	1930 x 770 x 710 mm (76 x 30.3 x 28 in)
Weight	Printer	86 kg (189 lb)
	Shipping	115 kg (253.5 lb)
What's in the box	HP Designjet Z5400 PostScript® ePrinter, printheads, introductory ink cartridges, printer stand and media bin, spindle, quick reference guide, setup poster, start-up software, power cord	
Software included	Printer driver, HP Instant Printing PRO for Windows, HP Printer Utility including HP Color Center, HP Designjet Excel Accounting Tool	
Environmental ranges	Operating temp.	5 to 40°C (41 to 104°F)
	Storage temp.	-25 to 55°C (-13 to 131°F)
	Operating humidity	20 to 80% RH (non-condensing)
Acoustic	Sound pressure	45 dB(A) (active); 23 dB(A) (standby)
	Sound power	6.7 B(A) (active); 4.1 B(A) (standby)
Power	Consumption	< 120 watts (printing); < 27 watts (ready); < 5 watts (< 22 watts with embedded Digital Front End) (sleep); 0.1 watts (off)
	Requirements	Input voltage (auto ranging) 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 2 A max
Certification	Safety	USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia/Kazakhstan (EAC); Singapore (PSB); China (CCC); Argentina (IRAM); Mexico (NYPE)
	Electromagnetic	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class A product: Korea (KCC)
	Environmental	ENERGY STAR; WEEE; EU RoHS; China RoHS; REACH
Warranty	One-year limited hardware warranty	

Ordering information

Product	E1L21A	HP Designjet Z5400 44-in PostScript ePrinter
Accessories	CN538A	HP Designjet 3-in Core Adapter
	Q6709A	HP Designjet 44-inch Roll Feed Spindle
	J8025A	HP Jetdirect 640n Print Server
Original HP printheads	C9404A	HP 70 Matte Black and Cyan Printhead
	C9406A	HP 70 Magenta and Yellow Printhead
	C9407A	HP 70 Photo Black and Light Gray Printhead
Original HP ink cartridges	CN629A	HP 772 300-ml Magenta Designjet Ink Cartridge
	CN630A	HP 772 300-ml Yellow Designjet Ink Cartridge
	CN633A	HP 772 300-ml Photo Black Designjet Ink Cartridge
	CN634A	HP 772 300-ml Light Gray Designjet Ink Cartridge
	CN635A	HP 772 300-ml Matte Black Designjet Ink Cartridge
	CN636A	HP 772 300-ml Cyan Designjet Ink Cartridge
	C9448A	HP 70 130-ml Matte Black Ink Cartridge
	C9449A	HP 70 130-ml Photo Black Ink Cartridge
	C9451A	HP 70 130-ml Light Gray Ink Cartridge
	C9452A	HP 70 130-ml Cyan Ink Cartridge
	C9453A	HP 70 130-ml Magenta Ink Cartridge
	C9454A	HP 70 130-ml Yellow Ink Cartridge
Original HP large format printing materials	C6810A	HP Bright White Inkjet Paper (FSC® certified) ¹² ♻️ ¹³ 914 mm x 91.4 m (36 in x 300 ft)
	Q7996A	HP Premium Instant-dry Satin Photo Paper (FSC® certified) ¹² ♻️ ¹³ 1067 mm x 30.5 m (42 in x 100 ft)
	COF29A	HP Everyday Adhesive Gloss Polypropylene, 2 Pack 1067 mm x 22.9 m (42 in x 75 ft)
	C6030C	HP Heavyweight Coated Paper (PEFC™ certified) ¹² ♻️ ¹³ 914 mm x 30.5 m (36 in x 100 ft)
	C2T54A	HP Premium Matte Polypropylene, 2 Pack ♻️ ¹³ 1067 mm x 22.9 m (42 in x 75 ft)
	CH025A	HP Everyday Matte Polypropylene, 2 Pack ♻️ ¹³ 1067 mm x 30.5 m (42 in x 100 ft)
Service and support	UOLZ3E	HP 3 year Next Business Day Onsite support ¹⁴
	UOLZ6E	HP 3 year Next Business Day Onsite support with Defective Media Retention ¹⁵
	UOLZ8E	HP 3 year 4-hour response, 9x5 Onsite support ¹⁴
	UOMA2PE	HP 1 year Post Warranty Next Business Day Onsite support ¹⁴
	UOMA3PE	HP 1 year Post Warranty Next Business Day Onsite support with Defective Media Retention ¹⁵
	UOMA4PE	HP 1 year Post Warranty 4-hour response, 9x5 Onsite Support ¹⁴

- ⁵ +/- 0.1% of the specified vector length or +/- 0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E HP Matte Film in Best or Normal mode with HP Photo Inks.
- ⁶ Measured on HP Matte Film.
- ⁷ With HP Premium Instant Dry Photo Satin media with HP Photo Inks, right after calibration.
- ⁸ With HP Premium Instant Dry Photo Gloss media with HP Photo Inks.
- ⁹ Cuts all media except canvas and banners.
- ¹⁰ Based on 640 MB RAM.
- ¹¹ Only available via HP Instant Printing PRO or the HP Embedded Web Server.
- ¹² FSC® trademark license code FSC®-C017543, see fsc.org. PEFC™ trademark license code PEFC™/29-31-198, see pefc.org. Not all FSC®- or PEFC™-certified products are available in all regions.
- ¹³ HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See hp.com/recycle for details.
- ¹⁴ Not available in North America and Latin America.
- ¹⁵ Not available in Europe, Middle East, and Africa.



Contact: joe.fuller@mastergraphics.com

For more information, please visit
hp.com/go/DesignjetZ5400



© Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Adobe and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Windows is a U.S. registered trademark of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries.

4AAA-7154EEW, September 2013



Turn all your printers into copiers, with great performance and versatility

Full-featured MFP solutions



Small footprint with high performance

Turn any new or existing printer into a copier, giving the small footprint you need without compromising on performance and versatility.

MFP Repro is a full-featured solution for scanning, copying, sharing and enhancing. You get outstanding image quality, with real-time view of enhancements and automatic cleanup of faded, dirty, or poorly shaded documents. Built-in workgroup collaboration capabilities mean anyone can scan to email, scan to folder, and share the scanner with others.

Contex solutions fit any environment, like copying, printing and scanning in the office as well as in copy shops.

A Contex MFP Repro bundle includes a scanner, intuitive Nextimage REPRO software for scanning and copying, and a high stand. Also available with low stand for side-by-side solutions.



SD 36 MFP Repro



IQ Quattro 24 MFP Repro



IQ Quattro 44 MFP Repro



Low stand version available for side-by-side

	IQ Quattro 24 MFP Repro	IQ Quattro 44 MFP Repro	SD 36 MFP Repro
High-stand version¹			
Settings	Right or left side touch-screen mounting Supported printer height from 995 to 1195 mm in 25 mm increments (39.2 to 47 inches in about 1 inch increments)		
Designed to fit ¹	HP DesignJet T-series, Z-series, and 500/800 series. Canon iPF 600/700/900 series. EPSON SC-T series. See full list of supported printers at www.contex.com/MFP-Repro		
Low-stand version (Side-by-side)			
Settings	Right or left side touch-screen mounting Working Height 834 / 859 / 884 mm (32.8 / 33.8 / 34.8 inches)		Right or left side touch-screen mounting. Working Height 821 / 846 / 871 mm (32.3 / 33.3 / 34.3 inches)
Additional printers, side-by-side	EPSON STYLUS PRO, Océ, Mutoh and some HP printers. See full list at www.contex.com/MFP-Repro		
Scanner Specifications (See remaining specifications for the scanner under the product series)			
200 dpi RGB Color speed	2 inch/sec	2 inch/sec	1.5 inch/sec
Upgradable	Yes	Yes	Yes
200 dpi Grayscale / Monochrome	14 inch/sec	14 inch/sec	10 inch/sec
Maximum Scan Width	24 inch (610 mm)	44 inch (1118 mm)	36 inch (914 mm)
Maximum Media Width	26.6 inch (676 mm)	47 inch (1194 mm)	38 inch (965 mm)
Optical Resolution	1200 dpi	1200 dpi	600 dpi
Maximum Resolution	9600 dpi	9600 dpi	600 dpi
Technology	Contex CleanScan CIS	Contex CleanScan CIS	Contex Unibody CIS design
Contex SIGMA ²	•	•	•
Contex CFR ³	•	•	•
Maximum Media Thickness	0.08 inch (2 mm)	0.08 inch (2 mm)	0.08 inch (2 mm)
Accuracy	0.1% +/- 1 pixel	0.1% +/- 1 pixel	0.1% +/- 1 pixel
Data Capture (color/mono)	48-bit / 16-bit	48-bit / 16-bit	48-bit / 16-bit
Color Space	Adobe RGB, sRGB, Device RGB	Adobe RGB, sRGB, Device RGB	sRGB
Energy Star Certified	•	•	•
Power Requirements	100 – 240V, 60/50Hz, 18W	100 – 240V, 60/50Hz, 23W	100 – 240V, 60/50Hz, 25W
Weight	16.1 Kg (35.5 lbs)	27 kg (59.5 lbs)	21.1 kg (46.5 lbs)
Dimensions (LxWxH)	32.4 x 32.4 x 18.9 x 6.3 inches (82.4 x 48.0 x 16.1 cm)	53.1 x 18.9 x 6.3 inches (135.0 x 48.0 x 16.1 cm)	45.6 x 12.9 x 5.5 inches (115.9 x 32.7 x 14 cm)
Certifications/compliance	CE, cUL, Customs Union, Ukr, FCC Class A, RoHS, VCCI, and ENERGY STAR Certified	CE, cUL, Customs Union, Ukr, FCC Class A, RoHS, VCCI, and ENERGY STAR Certified	CE, cUL, Ukr, KC, BSMI, VCCI, FCC Class A, RoHS, and ENERGY STAR Certified

Touch-screen and PC platform	
Touch Screen	17" TFT active matrix LCD / 1280 x 1024 pixels
PC Platform for CPU	Max PC size/weight: 490x400x107mm, 12kg (19.3x15.7x4.21in, 26lbs.)
Recommended PC	"Slimline" desktop PC, 2.0GHz Intel Core 2 Duo or faster. 2GB RAM

Full Featured Nextimage REPRO Software	
Language versions	Chinese, Dutch, English, French, German, Italian, Japanese, Korean, Polish, Russian, Spanish
Operating system	32 and 64-bit: Windows 10, 8, Windows 7 and Vista
File formats	Multi-page PDF or TIF files. TIF, JPG, PDF, PDF/A, DWF, CALS, BMP, JPEG-2000(JP2), JPEG2000 Extended(JPX), TIF-G3, TIF-G4, others
Features	Scan to Email / Copy / File


1 Not all supported printers will fit under the high stand, but can be used side-by-side.
 2 Signal Intensity Matching (SIGMA) is a Contex Patent. Sensor heating during a scan can cause inhomogeneous images. Thanks to Contex innovative thinking, our IQ Quattro and SD scanners will minimize sensor differences LIVE during a scan.
 3 Contex applications create industry standard raster file formats that can be used in any CAD or GIS application.

All trademarks remain the property of their respective holders, and are used only to directly describe the product being provided. Their use in no way indicates any relationship between Contex and the holders of the said trademarks.

Full-featured scanning and copying touch screen solution with professional image controls



Copy to unlimited number of printers via network or USB



Awarded Nextimage software to ensure image quality for both archival and printing



Standard Windows application or intuitive touch-screen mode



A good ergonomic environment for left- as well as right-handed operation

Contex Head Office
 Phone: +45 4814 1122
info@contex.com

Contex Americas
 Virginia, USA
 Phone: +1 (703) 964 9850
salesamericas@contex.com

Contex EMEA & India
 Copenhagen, Denmark
 Phone: +45 4814 1122
emea-india@contex.com

Contex Singapore
 Phone: +65 6853 8129
ap@contex.com

Contex China
 Shanghai
 Phone: +86 21 6422 2525
info-china@contex.com

Contex Japan
 Yokohama
 Phone: +81 3 3669 5515
info-japan@contex.com



Contact: joe.fuller@mastergraphics.com

Read more at contex.com



Contex solutions work with all leading large-format printers. For full list, see www.contex.com

