



Since 1946

Tacoma Screw Products, Inc.™

Fasteners • Tools • Maintenance & Shop Supplies

IN-STORE • ON-SITE • ONLINE
The Trusted...Go-To Source!



- Public Welcome
- No Minimums
- Same Day Shipping
- Fully Stocked Branch Locations
- Knowledgeable & Friendly Staff
- Phone, Fax & Online Sales
- Quotations & Special Orders
- Machine Shop
- On-Site Sales Reps
- Direct Order Entry System
- Bolt Bin Service
- Inventory Management System
- Business Credit Accounts
- Preferred Cash Accounts
- We Service Your Business

Follow Us YouTube #TacomaScrew

Milwaukee SHOCKWAVE™ IMPACT DRIVE AND FASTEN SET

Features

- Set includes: (1) SHOCKWAVE™ 1/4" Hex to 3/8" Square Socket Adapter (48-32-5031), (1) TORX® Bit 2" T25, (1) TORX® Bit 2" T20, (1) TORX® Bit 1" T30, (2) TORX® Bit 1" T25, (2) TORX® Bit 1" T20, (2) Square Bit 1" SQ2, (1) Square Bit 1" SQ1, (1) SHOCKWAVE™ Compact Magnetic Bit Holder, (1) 1/4" Magnetic Nut Driver, (1) 5/16" Magnetic Nut Driver, (1) 3/8" Magnetic Nut Driver, (1) 3/8" Socket Adapter, (1) Square Bit 2" SQ2, (2) Phillips Bit 2" P2, (1) Square Bit 1" SQ3, (1) Phillips Bit 1" P3, (3) Phillips Bit 1" P2, (1) Phillips Bit 1" P1, (1) Slotted Bit 1" SL 3/16"



Catalog No.	Part No.	No. of Pieces	Special
590-609	48-32-4408	26	\$20.99

M18™ CORDLESS LITHIUM-ION 2 TOOL COMBO KIT

Features

- M18™ Cordless LITHIUM-ION 2-Tool Combo Kit
- Innovative motor design, and superior ergonomics provide the most efficient blend of power, weight and performance in the industry
- Includes: M18™ Compact 1/2" Drill Driver (2606-20), M18™ 1/4" Hex Impact Driver (2656-20), M18™ Compact REDLITHIUM™ Battery (48-11-1815), M18™ & M12™ Multi-Voltage Charger (48-59-1812), Belt Clip, Contractor Bag



Catalog No.	Part No.	Special
800-707	2691-22	\$199.00

18V 5.0 AH BATTERY

Catalog No.	Part No.	Special
328-104	48-11-1850	\$109.00

Milwaukee MAGNETIC TAPE MEASURE

Features

- Nylon bond blade protection
- 5-point reinforced frame
- Finger stop — protects finger during blade retraction
- Dual magnets — prevents roll off when measuring steel studs, EMT and threaded rod
- Blueprint scale — calculates 1/4" and 1/8" drawings
- Wire form belt clip — reduces pocket tearing
- 2-sided printing — increases measurement readability
- Up to 9' stand out
- 360° hook attachment



Catalog No.	Part No.	Blade Width	Blade Length	Special
501-109	48-22-0125	1"	25 ft.	\$19.99

FASTBACK™ CAMO SPRING ASSISTED KNIFE

Features

- Realtree Xtra® Camo blends perfectly in a variety of environments
- Spring assisted open for fast one-handed opening
- Black oxide coated stainless steel blade
- Liner lock
- Reversible wire form belt clip



Catalog No.	Part No.	Special
468-703	48-22-1996	\$34.99

INDUSTRIAL RUST INHIBITOR

Features

- Compare to LPS 3®
- High resistance to salt spray, rain, humidity and temperature variations
- Will not affect paint or primed surfaces
- Excellent for marine applications, farm machinery, military, weapons and heavy equipment
- Resists high-pressure water wash-off
- Easily removed with solvent



Catalog No.	Size	Container Type	Special
660-205	11 oz.	Aerosol	\$9.95
660-207	5 gal.	Metal Pail	\$269.00

CITRUS ALL-PURPOSE CLEANER

Features



- Rich, foamy, all-purpose aqueous-based degreaser with a citrus scent
- Clings to tough, stubborn stains on vertical or inverted surfaces without runs or drips
- Foaming action instantly begins to lift-off & eliminate dirt, dust, ink, & grime deposits
- Applications: desks, counters, walls, ink rollers, grills, shop equip, lawn equip, appliances, vents, exhaust fans, tubs, sinks, showers, garbage cans, fabrics, canvas, plastic, fiberglass, vinyl, rubber, polished metals, stainless steel, non-porous surfaces



Catalog No.	Size	Container Type	Special
659-113	18 oz.	Aerosol	\$8.99

FOOD GRADE ANTI-SEIZE LUBRICANT

Features



- For applications where incidental food contact is possible
- Prevents seizing, galling, rust, corrosion and heat freeze
- Non-staining & odorless
- NSF H1 registered
- Conductive
- Applications: Food processing machinery to lubricate fittings, bushings, flanges, headers, nuts, screws, studs, threaded surfaces, pipes, plugs, and manifolds to prevent seizing and galling of surfaces



Catalog No.	Size	Container Type	Special
661-417	8 oz.	Brush Top Bottle	\$21.99

Tri-Flow® SUPERIOR LUBRICANT

Features

- Tri-Flow® Superior Lubricant is a superior, light viscosity lube that allows for deep penetration into hard to reach moving parts
- The aerosol spray action allows you to have a focused spray for even application
- High-grade petroleum oils provide optimum lubrication under extreme temperatures (-60 to 475°F) and humidity
- Formulated solvents soften and remove dirt and contaminants, while special additives displace moisture and prevent rust and corrosion
- Formulated with P.T.F.E.



Catalog No.	Size	Container Type	Special
661-211	12 oz.	Aerosol	\$13.99

LUBRICANT/CORROSION INHIBITOR

Features



- A versatile petroleum based compound that forms a clear, thin film that lubricates and protects against wear and corrosion
- Multi-purpose product lubricates, protects, displaces moisture, and cleans
- Applications: Tubing, castings, gears, weld rod, wire, fixtures, dies, jigs, shim stock, chucks, drill rod, heat treated parts, machined surfaces, finished welds, aluminum extrusions, air actuated tools, conveyors, frozen joints, locks, hoists, etc.



Catalog No.	Size	Container Type	Special
660-209	11 oz.	Aerosol	\$7.99

BACK-UP ALARMS



Features

- White Sound® back-up alarm
- Multi-frequency broadband sound
- Instantly locatable
- Sound confined to danger area
- Eliminates noise nuisance
- Heavy Duty Sounder unit: Driver
- Medium Duty Sounder unit: Speaker

Catalog No.	Rated	Sound Level	Special
573-019	Heavy Duty	107 dB Broadband	\$224.99
573-020	Medium Duty	97 dB Broadband	\$139.99
573-021	Medium Duty	87 dB Broadband	\$96.99

SELF-ADJUSTING

- Market leading white sound reversing alarm
- Ideal for vehicles working in widely differing ambient noise level
- Alarm continually adjusts to 5-10 dB above ambient
- Frequency (KHz): multi
- Instantly locatable
- Sound confined to danger area
- Eliminates noise nuisance

Catalog No.	Rated	Sound Level	Special
573-024	Medium Duty	77-97 dB	\$149.99
573-025	Heavy Duty	87-107 dB	\$239.99



JOEY XL FLASHLIGHT

Features

- Super bright 200 lumen LED main beam
- COB LED sidelight with a powerful 230 lumen beam for lighting up broad areas
- Flashing red safety light
- Strong magnetic base
- Lanyard



Catalog No.	Battery	Special
569-011	2 AA Alkaline (Included)	\$22.99

RAYOVAC LED HEADLIGHT

Features

- High performance LEDs; 2 modes: 50 lumens, (21 lumens on energy saver mode)
- Beam distance: 30 meters on high, (17 meters on energy saver mode)
- Battery run time: 17 hours on high, (38 hours on energy saver mode)
- 30 foot drop tested
- Designed for maximum durability + simplicity
- Compact & lightweight
- Cloth head-strap included
- ANSI FL1 Water Resistant



Catalog No.	Battery	Special
569-010	3 AAA Alkaline (Included)	\$9.99

MULTI-BIT SCREWDRIVERS

Features

- Cap slides up to expose bits, held in place by shoulder rings
- Bits snap easily into shaft

Catalog No.	No. of Bits	Style	Special
455-600	14	Multi-Bit - Marine	\$22.95
455-601	14	Multi-Bit - Standard	\$17.99
455-610	14	Multi-Bit - Tamperproof	\$25.99
455-618	14	Multi-Bit - Quick Change	\$24.99
455-626	12	Multi-Bit - Ratcheting	\$28.99



★★ SPECIAL SAVINGS ★★

Prices effective through December 31st, 2019.

Since 1946

Fasteners • Tools • Maintenance & Shop Supplies



AIR IMPACT WRENCHES

Features

- Titanium housing helps to reduce weight, improve balance and ensure maximum durability
- Ergonomically designed handle-forward design improves balance and control, helping to reduce operator fatigue
- Ambidextrous forward/reverse level can be actuated with a single hand, even with gloves on
- Feather throttle for maximum operator control
- 360° rotating air inlet fitting
- Three-position power regulator for forward rotation. Reverse rotation operates at maximum for highest breakaway torque



Catalog No.	Drive Size	Free RPM	Air Inlet	Breakaway Torque	Special
636-703	1/2"	7,225	1/4" NPT	1260 ft./lbs.	\$299.99
636-704	3/4"	5,300	3/8" NPT	1560 ft./lbs.	\$499.99



1/2" DRIVE 6 POINT IMPACT SOCKET SET — 15 PC.

Features

- Non-slip surface treatment
- Laser etch and stamped markings provide readability and permanence
- Blow mold case
- Includes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"



Catalog No.	Drive	Point	No. of Pieces	Special
411-402	1/2"	6	15	\$59.99



MAGNETIC DRILL PRESS

Features

- Lightweight and powerful for steel fabrication, welding, steel erection, construction, mining, bridge work and ship building, truck/trailer frame fabrication, plant maintenance and refineries
- Quick change cutter arbor
- For use with annular cutters



Catalog No.	Cutting Capacity	Motor	Special
300-004	1-3/8" x 2"	1-speed/600 rpm	\$719.99
300-005	2-1/8" x 2"	2-speed/450/300 rpm	\$1068.99

WAX STICK LUBRICANT

Features

- Multi-purpose lubricant which effectively removes heat and lubricates while withstanding tremendous pressures. It may be used as a replacement for tapping fluids and cutting oils and is ideal for metal sawing, drilling, tapping, pipe threading and as a cement form releasing agent.



Catalog No.	Size	Container Type	Special
661-602	1 lb.	Stick	\$16.99

CUTTING WAX

Features

- Specially formulated to extend tool performance, reduce chip welding, and to cling to your cutting tools
- Especially effective on stainless steel, aluminum, and exotic alloys



Catalog No.	Size	Container Type	Special
661-603	2 oz.	Tub	\$9.99
661-604	16 oz.	Tub	\$29.99

IN-STORE • ON-SITE • ONLINE – The Trusted...Go-To Source!

Visit or call one of our 20 Branch Locations for more information.

Tacoma 2001 Center St (253) 572-3444	Ballard 3930 Leary Way NW (206) 632-7565	Georgetown 1121 S Bailey St (206) 767-3750	Port of Tacoma 2222 Port of Tacoma Rd (253) 383-4435	Bremerton 5241 Auto Center Way (360) 479-0230	Kent 22123 - 84th Ave S (253) 395-9770	Kirkland 11200 - 120th Ave NE (425) 822-2585	Olympia 6700 Martin Way E (360) 491-9322	Everett 11630 Airport Rd (425) 290-5448	Portland 2797 NE Columbia Blvd (503) 282-5100
Boise 2230 S Cole Rd (208) 378-0560	Yakima 711 East R St (509) 248-0711	Pasco 8925 St Thomas Drive (509) 542-9378	Twin Falls 780 Blue Lakes Blvd N (208) 732-0780	Spokane 229 S Howe Rd (509) 536-0229	Idaho Falls 1835 N Yellowstone Hwy (208) 542-1835	Burlington 1075 Goldenrod Rd (360) 757-1075	Billings 4540 S Frontage Rd (406) 248-4540	Wenatchee 1420 N Miller St (509) 662-1420	Caldwell 510 W Simplot Blvd (208) 455-5100

Order Online 24/7: TacomaScrew.com • Call: 1 800 562-8192 • Visit one of our 20 Branch Locations